



# ROADMAP 2022 CATALOG

You'll find all the information you need about the brand new item in our latest Roadmap catalogue 2022

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING

# Welcome to our Roadmap 2022



# Upcoming Categories



LED FLOODLIGHT

GU10 FITTINGS

LED STREETLIGHTS

LED STRIP LIGHTS

OUTDOOR LIGHTING

LED STRIP LIGHTS

LED HIGHBAYS

DESK LAMPS

LED PANELS

CEILING FANS

LED SOLAR LIGHTS

TROLLEY SPEAKERS






# LED FLOODLIGHT with Light Sensor



- They will automatically function according to daylight levels.
- Floodlights will be off if natural light is above 140lux, and on if natural light is below 140lux.
- There is no need to turn the light on or off.
- Light Sensor does not work when motion is detected.

- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-37</u>	20169   3000K WARM WHITE 20170   4000K DAY WHITE 20171   6500K WHITE	30W	3000	165×46×204.5mm
<u>VT-57</u>	20172   3000K WARM WHITE 20173   4000K DAY WHITE 20174   6500K WHITE	50W	5000	197.5×46×241.5mm
<u>VT-117</u>	20175   3000K WARM WHITE 20176   4000K DAY WHITE 20177   6500K WHITE	100W	10000	247.5×49.5×299mm
<u>VT-167</u>	20178   3000K WARM WHITE 20179   4000K DAY WHITE 20180   6500K WHITE	150W	15000	318.5×55×390mm
<u>VT-272</u>	20181   3000K WARM WHITE 20182   4000K DAY WHITE 20183   6500K WHITE	200W	20000	371×57×458.5mm



# LED FLOODLIGHT with Direct Connection



- Instant Start in 1 second
- Operation in Outside Temperature (-20 to+40° C)
- Protection Rating IP65
- Only connect with waterproof cable hose
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118</u>	20304   3000K WARM WHITE 20305   4000K DAY WHITE 20306   6500K WHITE	10W	735	133×55×88mm
<u>VT-128</u>	20307   3000K WARM WHITE 20308   4000K DAY WHITE 20309   6500K WHITE	20W	1510	157×56×101mm
<u>VT-138</u>	20310   3000K WARM WHITE 20311   4000K DAY WHITE 20312   6500K WHITE	30W	2340	177×56×117mm
<u>VT-158</u>	20313   3000K WARM WHITE 20314   4000K DAY WHITE 20315   6500K WHITE	50W	4000	195×57×152mm

# LED FLOODLIGHT Direct Connection with PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118S-B</u>	20256   3000K WARM WHITE	10W	735	133×60×113mm
	20257   4000K DAY WHITE			
	20258   6500K WHITE			
<u>VT-128S-B</u>	20259   3000K WARM WHITE	20W	1510	157×60×128mm
	20260   4000K DAY WHITE			
	20261   6500K WHITE			
<u>VT-138S-B</u>	20262   3000K WARM WHITE	30W	2340	177×60×143mm
	20263   4000K DAY WHITE			
	20264   6500K WHITE			
<u>VT-158S-B</u>	20265   3000K WARM WHITE	50W	4000	195×60×178mm
	20266   4000K DAY WHITE			
	20267   6500K WHITE			

# LED FLOODLIGHTS Direct Connection with PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
VT-118S-W	20268   3000K WARM WHITE	10W	735	133×60×113mm
	20269   4000K DAY WHITE			
	20270   6500K WHITE			
VT-128S-W	20271   3000K WARM WHITE	20W	1510	157×60×128mm
	20272   4000K DAY WHITE			
	20273   6500K WHITE			
VT-138S-W	20274   3000K WARM WHITE	30W	2340	177×60×143mm
	20275   4000K DAY WHITE			
	20276   6500K WHITE			
VT-158S-W	20277   3000K WARM WHITE	50W	4000	195×60×178mm
	20278   4000K DAY WHITE			
	20279   6500K WHITE			



# LED FLOODLIGHTS PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118S-1-B</u>	20280   3000K WARM WHITE 20281   4000K DAY WHITE 20282   6500K WHITE	10W	735	133×60×113mm
<u>VT-128S-1-B</u>	20283   3000K WARM WHITE 20284   4000K DAY WHITE 20285   6500K WHITE	20W	1510	157×60×128mm
<u>VT-138S-1-B</u>	20286   3000K WARM WHITE 20287   4000K DAY WHITE 20288   6500K WHITE	30W	2340	177×60×143mm
<u>VT-158S-1-B</u>	20289   3000K WARM WHITE 20290   4000K DAY WHITE 20291   6500K WHITE	50W	4000	195×60×178mm

# LED FLOODLIGHTS PIR Sensor



- Instant Start in 1second
- Operation in Outside Temperatures (-20 to +40° C)
- With manual override function.
- When the lock sensor function, avoid long time lighting in extreme weather.
- Easy Installation with Extra Long 1 Meter cable Included.
- Diecast Aluminium body
- 100° beam angle
- 25,000-hours lifespan
- >15000 On/Off Cycles
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating



Model	SKU	Watts	Lumen	Dimension
<u>VT-118S-1-W</u>	20292   3000K WARM WHITE 20293   4000K DAY WHITE 20294   6500K WHITE	10W	735	133×60×113mm
<u>VT-128S-1-W</u>	20295   3000K WARM WHITE 20296   4000K DAY WHITE 20297   6500K WHITE	20W	1510	157×60×128mm
<u>VT-138S-1-W</u>	20298   3000K WARM WHITE 20299   4000K DAY WHITE 20300   6500K WHITE	30W	2340	177×60×143mm
<u>VT-158S-1-W</u>	20301   3000K WARM WHITE 20302   4000K DAY WHITE 20303   6500K WHITE	50W	4000	195×60×178mm

# LED FLOODLIGHTS 137lm Black Slimline Pro



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Dimension
<u>VT-32</u>	20402   4000K DAY WHITE 20403   6500K WHITE	30W	4100	165×204.5×46mm
<u>VT-52</u>	20404   4000K DAY WHITE 20405   6500K WHITE	50W	6850	197.5×241.5×46mm
<u>VT-132</u>	20406   4000K DAY WHITE 20407   6500K WHITE	100W	13700	247.5×299×49.5mm
<u>VT-162</u>	20408   4000K DAY WHITE 20409   6500K WHITE	150W	20500	318.5×390×55mm
<u>VT-302</u>	20410   4000K DAY WHITE 20411   6500K WHITE	200W	27350	371×458.5×57mm



# LED FLOODLIGHTS 185lm Black Slimline Pro



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V,50Hz
- Body Type: Die Cast Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 25,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Dimension
<u>VT-30185</u>	20449   4000K DAY WHITE 20450   6400K WHITE	30W	5550	165×204.5×46mm
<u>VT-50185</u>	20451   4000K DAY WHITE 20452   6400K WHITE	50W	9250	197.5×241.5×46mm
<u>VT-100185</u>	20453   4000K DAY WHITE 20454   6400K WHITE	100W	18500	247.5×299×49.5mm
<u>VT-150185</u>	20455   4000K DAY WHITE 20456   6400K WHITE	150W	28750	318.5×390×55mm
<u>VT-200185</u>	20457   4000K DAY WHITE 20458   6400K WHITE	200W	37000	371×458.5×57mm

# LED STREETLIGHTS



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan



Model	SKU	Watts	Lumen	Dimension
<u>VT-39ST</u>	20422   4000K DAY WHITE 20423   6500K WHITE	30W	3600	416×138×99mm
<u>VT-59ST</u>	20424   4000K DAY WHITE 20425   6500K WHITE	50W	6000	470×149×99mm
<u>VT-79ST</u>	20438   4000K DAY WHITE 20439   6500K WHITE	70W	8400	470×149×99mm
<u>VT-139ST</u>	20426   4000K DAY WHITE 20427   6500K WHITE	100W	12000	567×179×99mm
<u>VT-169ST</u>	20428   4000K DAY WHITE 20429   6500K WHITE	150W	18000	628×203×99mm

# LED STREETLIGHTS Light Sensor Pro



- IP65 Rating
- SMD-Samsung Chip
- 5 Years Warranty
- AC:220-240V, 50Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan



Model	SKU	Watts	Lumen	Dimension
VT-39ST-S	20430   4000K DAY WHITE	30W	3600	416×138×99mm
	20431   6500K WHITE			
VT-59ST-S	20432   4000K DAY WHITE	50W	6000	470×149×99mm
	20433   6500K WHITE			
VT-139ST-S	20434   4000K DAY WHITE	100W	12000	567×179×99mm
	20435   6500K WHITE			
VT-169ST-S	20436   4000K DAY WHITE	150W	18000	628×203×99mm
	20437   6500K WHITE			



# OUTDOOR LIGHTING Garden Spikes Lights



- IP65 Rating.
- COB-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >80
- PF>0.5
- 20,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Dimension
VT-907	20316   3000K WARM WHITE	7W	420	200×714mm
	20317   4000K DAY WHITE			
	20318   6400K WHITE			



# LED HIGHBAYS PRO UFO Series 90°



- IP65 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:175-265V, 50Hz
- Body Type: Die Cast Aluminium
- 90° Beam Angle
- CRI >70
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Dimension
<u>VT-9-116S</u>	20319   4000K DAY WHITE 20320   6500K WHITE	100W	11500	250×94mm
<u>VT-9-156S</u>	20321   4000K DAY WHITE 20322   6500K WHITE	150W	17300	295×94mm
<u>VT-9-206S</u>	20323   4000K DAY WHITE 20324   6500K WHITE	200W	23000	320×94mm

## LED PANELS PRO 60×60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

 **120**  
lm/W

 **5 YEAR**  
WARRANTY



Model	SKU	Watts	Lumen	Box Qty
<u>VT-629-1</u>	20419   4000K DAY WHITE	29W	3480	6 pcs



## LED PANELS PRO 60×60

- IP20 Rating.
- SMD-Samsung Chip
- 5 Years Warranty
- AC:200-240V, 50/60Hz
- Body Type: Aluminium
- 110° Beam Angle
- CRI >80
- PF>0.9
- 30,000-hour lifespan
- On/Off Cycle >15000

 **5 YEAR**  
WARRANTY



Model	SKU	Watts	Lumen	Box Qty
<u>VT-645-1</u>	20421   4000K DAY WHITE 20420   6400K WHITE	45W	4830	6 pcs





# LED SOLAR STREETLIGHT

## Solar Streetlight



**5 YEAR WARRANTY**



**SOLAR LIGHTS**

- DC:9V, 50W Solar Panel
- CRI: >80
- Lumens: 3000lm
- 6.4V 30000mAh Battery
- Beam Angle: 120°
- IP65 Rating
- Warranty: 5 Years
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours



**IP65 RATING**

Model	SKU	Watts	Lumen	Bo x Qty
<a href="#">VT-ST303</a>	<a href="#">20341</a>   <a href="#">6400K WHITE</a>	300W	3000	1 pc



# LINEAR LIGHTS

## Linear Surfaced Lights



Model	SKU	Watts	Lumen	Bo x Qty
<a href="#">VT-7-46</a>	<a href="#">20462</a>   <a href="#">3000K WARM WHITE</a> <a href="#">20463</a>   <a href="#">4000K DAY WHITE</a> <a href="#">20464</a>   <a href="#">6400K WHITE</a>	40W		



**Recessed Fitting GU10**



**Model No:** VT-920-W  
**SKU:** 6632  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-920-B  
**SKU:** 6633  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-925-W  
**SKU:** 6636  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 93×55mm  
**Cutting Size:** 83mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-925-B  
**SKU:** 6637  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 93×55mm  
**Cutting Size:** 83mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-929-W  
**SKU:** 6640  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 81×40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-929-B  
**SKU:** 6641  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 81×40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-921-W  
**SKU:** 6634  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 88×88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-921-B  
**SKU:** 6635  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 88×88×40mm  
**Cutting Size:** 80mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-927-W  
**SKU:** 6638  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 93×93×55mm  
**Cutting Size:** 83×83mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-927-B  
**SKU:** 6639  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 93×93×55mm  
**Cutting Size:** 83×83mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-930-W  
**SKU:** **6642**  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 81×81×40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-930-B  
**SKU:** **6643**  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 81×81×40mm  
**Cutting Size:** 63mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-931-W  
**SKU:** **6644**  
**Base:** GU10  
**Material:** PC  
**Color:** White+White  
**Dimension:** 85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-931-WB  
**SKU:** **6645**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Black  
**Dimension:** 85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-931-B  
**SKU:** **6646**  
**Base:** GU10  
**Material:** PC  
**Color:** Black+Black  
**Dimension:** 85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-931-WC  
**SKU:** **6647**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Chrome  
**Dimension:** 85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-931-WG  
**SKU:** **6648**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Gold  
**Dimension:** 85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-931-WRG  
**SKU:** **6649**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Rose Gold  
**Dimension:** 85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-932-W  
**SKU:** **6650**  
**Base:** GU10  
**Material:** PC  
**Color:** White+White  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-932-WB  
**SKU:** **6651**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Black  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-932-B  
**SKU:** **6652**  
**Base:** GU10  
**Material:** PC  
**Color:** Black+Black  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-932-WC  
**SKU:** **6653**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Chrome  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-932-WG  
**SKU:** **6654**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Gold  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-932-WRG  
**SKU:** **6655**  
**Base:** GU10  
**Material:** PC  
**Color:** White+Rose Gold  
**Dimension:** 85×85×40mm  
**Cutting Size:** 72mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-933-W  
**SKU:** **6656**  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 102×102×42mm  
**Cutting Size:** 95×95mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-933-B  
**SKU:** **6657**  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 102×102×42mm  
**Cutting Size:** 95×95mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-934-W  
**SKU:** **6658**  
**Base:** GU10  
**Material:** PC  
**Color:** White  
**Dimension:** 102×42mm  
**Cutting Size:** 85mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-934-B  
**SKU:** **6659**  
**Base:** GU10  
**Material:** PC  
**Color:** Black  
**Dimension:** 102×42mm  
**Cutting Size:** 85mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-974-W  
**SKU:** **6682**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** White  
**Dimension:** 42.5×17.5×35mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

Recessed Fitting GU10



**Model No:** VT-974-B  
**SKU:** **6683**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black  
**Dimension:** 42.5×17.5×35mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-980-WB  
**SKU:** **6694**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** White+black  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-980-BW  
**SKU:** **6695**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black+white  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-980-B  
**SKU:** **6696**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black+black  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

**Recessed Fitting GU10**



**Model No:** VT-980-GB  
**SKU:** **6697**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Golden+Black  
**Dimension:** 32.5×23.5×50mm  
**Cutting Size:** 61mm  
**Box Qty:** 50

**Surface Fittings GU10**



**Model No:** VT-978-W  
**SKU:** **6690**  
**Base:** GU10  
**Material:** Iron  
**Color:** White  
**Dimension:** 26.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

**Surface Fittings GU10**



**Model No:** VT-978-B  
**SKU:** **6691**  
**Base:** GU10  
**Material:** Iron  
**Color:** Black  
**Dimension:** 26.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

**Surface Fittings GU10**



**Model No:** VT-979-W  
**SKU:** **6692**  
**Base:** GU10  
**Material:** Iron  
**Color:** White  
**Dimension:** 27.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

**Surface Fittings GU10**



**Model No:** VT-979-B  
**SKU:** **6693**  
**Base:** GU10  
**Material:** Iron  
**Color:** Black  
**Dimension:** 27.5×22.5×55mm  
**Cutting Size:** N/A  
**Box Qty:** 20

**Model No:** VT-981-W  
**SKU:** **6698**  
**Base:** GU10  
**Material:**  
**Color:**  
**Dimension:**  
**Cutting Size:**  
**Box Qty:**

**Model No:** VT-981-B  
**SKU:** **6699**  
**Base:** GU10  
**Material:**  
**Color:**  
**Dimension:**  
**Cutting Size:**  
**Box Qty:**

**Model No:** [VT-981-SN](#)  
**SKU:** **6700**  
**Base:** GU10  
**Material:**  
**Color:**  
**Dimension:**  
**Cutting Size:**  
**Box Qty:**



**Pendant Black-GU10**

**Model No:** [VT-975-20CM](#)  
**SKU:** **6684**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black  
**Dimension:** 35.5×25.5×42mm  
**Cutting Size:** NA  
**Box Qty:** 20

**Pendant Black-GU10**

**Model No:** [VT-975-30CM](#)  
**SKU:** **6685**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black  
**Dimension:** 35.5×35.5×43mm  
**Cutting Size:** NA  
**Box Qty:** 20



**Pendant Black-GU10**

**Model No:** [VT-976-30CM](#)  
**SKU:** **6686**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black  
**Dimension:** 35.5×35.5×43mm  
**Cutting Size:** NA  
**Box Qty:** 20



**Pendant Black-GU10**

**Model No:** [VT-976-50CM](#)  
**SKU:** **6687**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black  
**Dimension:** 42×35×54.5mm  
**Cutting Size:** NA  
**Box Qty:** 20



**Pendant Black-GU10**

**Model No:** [VT-977-30CM](#)  
**SKU:** **6688**  
**Base:** GU10  
**Material:** Aluminum  
**Color:** Black + Gold  
**Dimension:** 35.5×35.5×43mm  
**Cutting Size:** NA  
**Box Qty:** 20




**Pendant Black-GU10**

**Model No:** [VT-977-50CM](#)  
**SKU:** **6689**  
**Base:** GU10  
**Material:**  
**Color:**  
**Dimension:**  
**Cutting Size:**  
**Box Qty:**



**Clear Glass-Filament-Candle-E14-Dimmable**

- E14 Base
- Candle Shape
- AC:220-240V, 50Hz
- PF: >0.4
- CRI: >80
- 300° Beam Angle



Model	SKU	Watts	EQUIV.W	Lumen	Box Qty
<a href="#">VT-2304D</a>	<b>2870 - 3000K WARM WHITE</b>	4W	35w	400	200





### LED Strip Lights [Strip Sets-5050 60 LEDs](#)

VT-5050 60 IP20-24W

**2895 - 5IN1**

**Watt/M:** 24w  
**Voltage:** DC:12V,50Hz  
**LED Qty/M:** 90  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20



### LED Strip Lights [Strip Sets-5050 60 LEDs](#)

VT-5050 60 IP20-RGB Set-24W

**2896 -5IN1**

**Watt/M:** 24w  
**Voltage:** DC:12V,50Hz  
**LED Qty/M:** 90  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20



### LED Strip Lights [Striplights 2835 120 Double PCB](#)

VT-2835 120-IP65-24W

**2898 - 3IN1**



**Watt/M:** 14W  
**Voltage:** DC:24V  
**LED Qty/M:** 120  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP65  
**Width:** 10mm  
**Box Qty:** 400 Meters



### LED Strip Lights [Striplights 2835 120 Double PCB](#)

VT-2835 120-IP20-24W

**2897 -3IN1**



**Watt/M:** 14W  
**Voltage:** DC:24V  
**LED Qty/M:** 120  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters



**LED Strip Lights Striplights 2835 90-High Lumen**

VT-2835 90

- 2698 – 6400K WHITE
- 2696 – 3000K WARM WHITE
- 2697 – 4000K DAY WHITE



**Watt/M:** 4w  
**Voltage:** DC:24V  
**LED Qty/M:** 800  
**LED Type:** SMD

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters



**LED Strip Lights LED COB Striplights IP20**


VT-COB 421

- 2669 – 6400K WHITE
- 2667 – 3000K WARM WHITE
- 2668 – 4000K DAY WHITE



**Watt/M:** 10w  
**Voltage:** DC:24V  
**LED Qty/M:** 420  
**LED Type:**

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters



**LED Strip Lights LED COB Striplights IP20**

VT-COB 422

- 2880 – RGB



**Watt/M:** 13w  
**Voltage:** DC:24V  
**LED Qty/M:** 420  
**LED Type:** COB

**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm  
**Box Qty:** 400 Meters



QUICK CONNECT WIRE FOR LED STRIP LIGHT



SKU: [11341](#)

QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT



SKU: [11342](#)

QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT



SKU: [11343](#)

Strip-Controller-Infrared



Model: [VT-2428](#)  
SKU: [2899](#)  
Input voltage: DC:12V/24V

Strip-Controller-Infrared



Model: [VT-2425](#)  
SKU: [2901](#)  
Input voltage: DC:12V/24V

[2900](#)[2900](#)

Strip-Controller-Wi-Fi RGB

Strip-Controller-Wi-Fi RGB

SKU: [2902](#)[2902](#)  
Input voltage:

Mounting Kit White



Model: [VT-8126](#)  
SKU: [2871](#)  
Dimension: 2000x50x35mm  
Unit Color: White

Mounting Kit White



Model: [VT-8127](#)  
SKU: [2872](#)  
Dimension: 2000x50x75mm  
Unit Color: White

Mounting Kit Black



Model: [VT-8113](#)  
SKU: [2873](#)  
Dimension: 2000x17.4x7mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8109](#)  
SKU: [2874](#)  
Dimension: 2000x15.8x15.8mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8106](#)  
SKU: [2875](#)  
Dimension: 2000x24.7x7mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8108](#)  
SKU: [2876](#)  
Dimension: 2000x23.5x10mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8114](#)  
SKU: [2877](#)  
Dimension: 2000x19x19mm  
Unit Color: Black

Mounting Kit Black



Model: [VT-8110](#)  
SKU: [2878](#)  
Dimension: 2000x17.2x14.4mm  
Unit Color: Black



Power Supply – Plastic

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
<a href="#">VT-23032</a>	<a href="#">2671</a>	30w	2.5A	AC:100-240V,50/60Hz	DC:12V	100
<a href="#">VT-23044</a>	<a href="#">2672</a>	42w	3.5A	AC:100-240V,50/60Hz	DC:12V	100



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
<a href="#">VT-21061</a>	<a href="#">2682</a>	60w	5A	AC:100-240V,50/60Hz	DC:12V	100
<a href="#">VT-21062</a>	<a href="#">2683</a>	60w	2.5A	AC:100-240V,50/60Hz	DC:24V	100
<a href="#">VT-21071</a>	<a href="#">2684</a>	75w	6.25A	AC:176-264V,50/60Hz	DC:12V	100
<a href="#">VT-21072</a>	<a href="#">2685</a>	75w	3.15A	AC:176-264V,50/60Hz	DC:24V	100



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
<a href="#">VT-21121</a>	<a href="#">2686</a>	120w	10A	AC:176-264V,50/60Hz	DC:12V	50
<a href="#">VT-21122</a>	<a href="#">2687</a>	120w	5A	AC:176-264V,50/60Hz	DC:24V	50
<a href="#">VT-21152</a>	<a href="#">2688</a>	150w	12.5A	AC:176-264V,50/60Hz	DC:12V	50
<a href="#">VT-21153</a>	<a href="#">2689</a>	150w	6.25A	AC:176-264V,50/60Hz	DC:24V	50



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
<a href="#">VT-21252</a>	<a href="#">2690</a>	250w	20.8A	AC:176-264V,50/60Hz	DC:12V	20
<a href="#">VT-21253</a>	<a href="#">2691</a>	250w	10.41A	AC:176-264V,50/60Hz	DC:24V	20
<a href="#">VT-21301</a>	<a href="#">2692</a>	300w	25A	AC:176-264V,50/60Hz	DC:12V	20
<a href="#">VT-21302</a>	<a href="#">2693</a>	300w	12.5A	AC:176-264V,50/60Hz	DC:24V	20



Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output	Box Qty
<a href="#">VT-21501</a>	<a href="#">2694</a>	500w	42A	AC:200-240V,50/60HZ	DC:12V	20
<a href="#">VT-21502</a>	<a href="#">2695</a>	500w	21A	AC:200-240V,50/60HZ	DC:24V	20

## LED BIG PANELS

### Big Panels-UGR<19

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm

**LG7 Compliant**   
**UGR < 19**



Model	SKU	Watts	Lumen	Size	Box Qty
<a href="#">VT-6068-1</a>	<a href="#">6676 - 4000K DAY WHITE</a>	45w	4830	595×595×9mm	6
<a href="#">VT-6069-1</a>	<a href="#">6674 - 4000K DAY WHITE</a>	45w	4830	620×620×9mm	6

## LED BIG PANELS

### Big Panels-60×60

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :595×595×9mm



Model	SKU	Watts	Lumen	Size	Box Qty
<a href="#">VT-6237-1</a>	<a href="#">6673 - 4000K DAY WHITE</a>	36w	3820	595×595×9mm	6

## LED BIG PANELS

### Big Panels-60×60

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >15000
- Life span:25,000 Hours
- Body Type: Aluminium
- Dimension :595×595×8.5mm



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6340</u>	<a href="#">6671 - 4500K DAY WHITE</a> <a href="#">6672 - 6400K WHITE</a>	40w	4950	595×595×8.5mm	6

## LED BIG PANELS

### Big Panels-High Lumen

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 110° Beam Angle
- On/Off: >10000
- Life span:30,000 Hours
- Body Type: Aluminium
- Dimension :620×620×9mm



**120**  
lm/W



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6262-1</u>	<a href="#">6675 - 4000K DAY WHITE</a>	29w	3480	620×620×9mm	6



## LED BIG PANELS

### Big Panels-120×30

- AC:200-240V, 50/60Hz
- PF: >0.9
- CRI: >80
- 120° Beam Angle
- On/Off: >10000
- Life span:20,000 Hours
- Body Type: FE+PP
- Dimension :1195×295×29mm



Model	SKU	Watts	Lumen	Size	Box Qty
<u>VT-6147</u>	<a href="#">6624 - 3000K WARM WHITE</a> <a href="#">6625 - 4000K DAY WHITE</a> <a href="#">6626 - 6500K WHITE</a>	40w	4000	1195×295×29mm	6



### Surface Mounting-60×60 New

SKU: [6627](#)  
 Box Qty 25



**Can for Fire Rated Downlight**



SKU: **11281**  
 Dimension: 90×120mm  
 Cutting Size: 80mm  
 Unit Color: Black  
 Body Type: Iron  
 IP Rating: IP20

**Can for Fire Rated Downlight**



SKU: **11286**  
 Dimension:  
 Cutting Size:  
 Unit Color:  
 Body Type:  
 IP Rating:

**White Bezel-IP20 Push and Lock**



**IP20**  
RATING

**5**  
pcs Pack

SKU: **11277**  
 Dimension: 90mm  
 Unit Color: White  
 Body Type: Iron  
 IP Rating: IP20

**Black Bezel-IP20 Push and Lock**



**IP20**  
RATING

**5**  
pcs Pack

SKU: **11278**  
 Dimension: 90mm  
 Unit Color: Black  
 Body Type: Iron  
 IP Rating: IP20

**Satin Nickel Bezel-IP20 Push and Lock**



**IP20**  
RATING

**5**  
pcs Pack

SKU: **11279**  
 Dimension: 90mm  
 Unit Color: Satin Nickel  
 Body Type: Iron  
 IP Rating: IP20

**Chrome Bezel-IP20 Push and Lock**



**IP20**  
RATING

**5**  
pcs Pack

SKU: **11280**  
 Dimension: 90mm  
 Unit Color: Chrome  
 Body Type: Iron  
 IP Rating: IP20

**White Bezel-IP65 Push and Lock**



**IP65**  
RATING

**5**  
pcs Pack

SKU: **11282**  
 Dimension: 90mm  
 Unit Color: White  
 Body Type: Iron  
 IP Rating: IP65

**Black Bezel-IP65 Push and Lock**



**IP65**  
RATING

**5**  
pcs Pack

SKU: **11283**  
 Dimension: 90mm  
 Unit Color: Black  
 Body Type: Iron  
 IP Rating: IP65

**Satin Nickel Bezel-IP65 Push and Lock**



**IP65**  
RATING

**5**  
pcs Pack

SKU: **11284**  
 Dimension: 90mm  
 Unit Color: Satin Nickel  
 Body Type: Iron  
 IP Rating: IP65

**Chrome Bezel-IP65 Push and Lock**



**IP65**  
RATING

**5**  
pcs Pack

SKU: **11285**  
 Dimension: 90mm  
 Unit Color: Chrome  
 Body Type: Iron  
 IP Rating: IP65

**Solar Wall Lamp**

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:20×15.5×25.5

Model	SKU	Watts
<u>VT-982-S</u>	<a href="#">2889 - 3IN1</a>	



**Solar Stand Lamp**

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:15.5×15.5×27

Model	SKU	Watts
<u>VT-983-S</u>	<a href="#">2890 - 3IN1</a>	



**Solar Wall Lamp**

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:22×17.5×25

Model	SKU	Watts
<u>VT-982</u>	<a href="#">2892 - 3000K+6000K WARM WHITE+WHITE</a>	



**Solar Stand Lamp**

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:17.5×17.5×27

Model	SKU	Watts
<u>VT-983</u>	<a href="#">2893 - 3000K+6000K WARM WHITE+WHITE</a>	



**Solar Lawn Lamp**

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

Model	SKU	Watts
<u>VT-984</u>	<b>2894 - 3000K+6000K WARM WHITE+WHITE</b>	



**Solar Lawn Lamp**

- 3.7V, 2200mAh Battery
- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours
- Body Type: Aluminum Die-Casting
- Size:21×19×33

Model	SKU	Watts
<u>VT-984-S</u>	<b>2891 - 3IN1</b>	



**Solar Bollard Lights**

- 3.7V, 2000mAh Battery
- Charging Time:
- Working Time: 12 Hours
- Body Type: ABS+PC
- Size:705.7×155mm
- Lumen: 400


Model	SKU	Watts
<u>VT-945</u>	<b>6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE</b>	5w



**2IN1 Garden Light**

- 3.7V, 1000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC
- Size:148×800mm
- Lumen: 260

Model	SKU	Watts
<u>VT-943</u>	<b>6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE</b>	3w





**Adjustable Garden Light**

- 7.4V, 2000mAh Battery
- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours
- Body Type: ABS+PC+Metal
- Size:264x1290.55mm
- Lumen: 500

Model	SKU	Watts
<u>VT-948</u>	<b>6670 - 3000K WARM WHITE</b> <b>6669 - 4000K DAY WHITE</b>	8w



**Solar Spike Light**

- 3.7V Li-on 1200mAh Battery
- Charging Time: 6-8 Hours
- Working Time: 10-12 Hours
- Body Type: ABS
- Size:140x150x280mm
- Lumen: 40

Model	SKU	Watts
<u>VT-952</u>	<b>6660 - 3000K WARM WHITE</b> <b>6661 - 4000K DAY WHITE</b> <b>6662 - 6400K WHITE</b>	2w




**Solar Tri-Proof Light with Sensor**

- Battery
- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours
- Body Type: PC
- Size:1185x80x65mm



Model	SKU	Watts	Lumen
<u>VT-120018</u>	<b>6500 - 3IN1</b>		



**Solar Bulb with Sensor**

- 3.7V, 2200mAh Battery
- Charging Time: 8 Hours
- Working Time: 6 Hours
- Body Type: Plastic
- Size:72x158mm



Model	SKU	Watts	Lumen
<u>VT-2417</u>	<b>2857 - 3IN1</b>	7w	500



**Table Mirror Lights**

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30


Model	SKU	Watts
<u>VT-7572</u>	<b>6629</b>	3w



**Wall Mirror Lights**

- DC:5V
- CRI: >80
- 150° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

Model	SKU	Watts
<u>VT-7571</u>	<b>6628</b>	3w



**Suction Mirror Lights**

- DC:4.5V
- CRI: >80
- 120° Beam Angle
- IP Rating:IP44
- Body Type: Plastic
- Lumen:30

Model	SKU	Watts
<u>VT-7573</u>	<b>6630</b>	3.2w





### Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



**RECHARGEABLE**

Model	SKU	Watts	Lumen
<u>VT-7703-G</u>	2881 - 3000K WARM WHITE 2882 - 4000K DAY WHITE	3w	



### Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



**RECHARGEABLE**

Model	SKU	Watts	Lumen
<u>VT-7703-GD</u>	2883 - 3000K WARM WHITE 2884 - 4000K DAY WHITE	3w	



### Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



**RECHARGEABLE**

Model	SKU	Watts	Lumen
<u>VT-7703-W</u>	2885 - 3000K WARM WHITE 2886 - 4000K DAY WHITE	3w	



### Rechargeable Desk Lamps

- CRI:
- Beam Angle
- Body Type:



**RECHARGEABLE**

Model	SKU	Watts	Lumen
<u>VT-7703-B</u>	2887 - 3000K WARM WHITE 2888 - 4000K DAY WHITE	3w	




**Ceiling Fan AC Motor**

- 52" (132CM ) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-W	2866

**65W**




**Ceiling Fan AC Motor**

- 52" (132CM ) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-BR	2867

**65W**




**Ceiling Fan AC Motor**

- 52" (132CM ) Decorative ceiling fan
- With forward and reverse function
- 3 ABS plastic blades
- AC powerful motor:172 × 20mm, 3.85kg
- Revolutions per minute:180±10 RPM
- Blade angle 13°
- 3 speeds and light remote control
- Motor Power AC:220-240V,50HZ,65W
- G.W.:7.9KG / N.W.:7.1KG

Model	SKU
VT-6552-3-BL	2868

**65W**



**Mist Fan with Wheels**

- 16" (40.6CM ) Mist fan
- With 430mm diameter radial grill
- 3PP blade with a speed of Max 55.96m<sup>3</sup>/Min
- Remote type selection with oscillation
- Designed with 3 variants of speed: Low, Medium, and High
- Adjustable Mist
- Timer (with Remote)7.5H
- Water Tank Capacity 3.2 Litre
- 6 Wheels for easy moving

Model	SKU
VT-8217-3	7936

**80W**



Trolley Speaker

2X10W

Model	SKU
<u>VT-6204-2</u>	6663

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x4 inch woofer.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:185.3x177x410.5mm
- Includes one USB cable.



Trolley Speaker

2X10W

Model	SKU
<u>VT-6203-2</u>	6664

- P.M.P.O 150W
- Rechargeable Trolley speaker 2x3 inch woofer with handle.
- DC:5V input power, 1A adapter.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 3.7V/3000mAh.
- Charging time 5-6 Hours.
- Working time 3-6 Hours.
- FM Radio-Frequency 87.5-108MHz.
- AUX and MIC input.
- Dimensions:153.7x143.7x341.5mm
- Includes one USB cable.



Trolley Speaker

40W

Model	SKU
<u>VT-6282-2</u>	8990

- P.M.P.O 150W
- Rechargeable Trolley speaker 8 inch woofer with handle and RF Control.
- AC:100-240V, 50/60Hz input power.
- RGB LED lights with On/Off switch.
- Supports Wireless connection, USB and FM Radio.
- Rechargeable battery 7.4V/5000mAh.
- Charging time 5-6 Hours.
- Working time 2-4 Hours.
- FM Radio-Frequency 87.5-1080MHz.
- AUX, Guitar and MIC input.
- Working distance up to 15 meters in open space
- Remote Control distance upto 5m in open space
- Dimensions:320x310x685mm
- Includes one Wireless microphone, Remote Control and Power adaptor.





**LED Smart Striplight Kit**

**LED Type:** SMD  
**Watt/M:** 13W  
**Current/M:** 1.08A  
**lm/M:** 1200  
**Beam Angle:** 120°  
**IP Rating:** IP20  
**Width:** 10mm



Model	SKU
VT-5050 90	2699



App Remote Control



Voice Control. Alexa/Google Home Compatible



Remote Controller



In-line Controller

**Charging Adapters**

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD)  
 Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-B  
6677



**Watts:** 20W  
**Unit Color:** Black  
**Input Power:** AC:100-240V,50/60Hz  
**Output Voltage:** DC:5V, 3A  
**USB Port:** USB-A + USB-C (PD)



**Charging Adapters**

USB-A Output:5V- 3A, 9V-2A, 12V-1.5A(Max). USB-C (PD)  
 Output:5V- 3A, 9V-2.22A, 12V-1.67A(Max).

VT-5320-W  
6678



**Watts:** 20W  
**Unit Color:** White  
**Input Power:** AC:100-240V,50/60Hz  
**Output Voltage:** DC:5V, 3A  
**USB Port:** USB-A + USB-C (PD)



**Charging Adapters**

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD)  
 Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-B  
6679



**Watts:** 30W  
**Unit Color:** Black  
**Input Power:** AC:100-240V,50/60Hz  
**Output Voltage:** DC:5V, 3A  
**USB Port:** USB-A + USB-C (PD)



**Charging Adapters**

USB-A Output:5V- 3A, 9V-3A, 12V-2.25A(Max). USB-C (PD)  
 Output:5V- 3A, 9V-3A, 15V-2.0A, 20V-1.5A(Max).

VT-5330-W  
6680



**Watts:** 30W  
**Unit Color:** White  
**Input Power:** AC:100-240V,50/60Hz  
**Output Voltage:** DC:5V, 3A  
**USB Port:** USB-A + USB-C (PD)



OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU	OLD ERP	NEW SKU
101	- 21101	531	- 21531	791	- 21791	2042	- 212042	2738	- 212738	6620	- 216620	8246	- 218246	8619	- 218619
103	- 21103	535	- 21535	792	- 21792	2043	- 212043	2739	- 212739	6671	- 216671	8280	- 218280	8620	- 218620
104	- 21104	536	- 21536	793	- 21793	2044	- 212044	2740	- 212740	6672	- 216672	8282	- 218282	8681	- 218681
108	- 21108	537	- 21537	796	- 21796	2118	- 212118	2741	- 212741	7078	- 217078	8284	- 218284	8682	- 218682
115	- 21115	538	- 21538	797	- 21797	2122	- 212122	2766	- 212766	7079	- 217079	8285	- 218285	8683	- 218683
131	- 21131	539	- 21539	798	- 21798	2124	- 212124	2775	- 212775	7080	- 217080	8286	- 218286	8684	- 218684
132	- 21132	540	- 21540	799	- 21799	2126	- 212126	2778	- 212778	7081	- 217081	8287	- 218287	13889	- 2113889
135	- 21135	600	- 21600	808	- 21808	2128	- 212128	2792	- 212792	7082	- 217082	8288	- 218288	13899	- 2113899
140	- 21140	602	- 21602	809	- 21809	2133	- 212133	2793	- 212793	7087	- 217087	8289	- 218289	13909	- 2113909
141	- 21141	650	- 21650	853	- 21853	2137	- 212137	2794	- 212794	7088	- 217088	8291	- 218291	13949	- 2113949
146	- 21146	651	- 21651	855	- 21855	2138	- 212138	4122	- 214122	7089	- 217089	8292	- 218292	14601	- 2114601
149	- 21149	652	- 21652	861	- 21861	2143	- 212143	4123	- 214123	7090	- 217090	8296	- 218296	14611	- 2114611
151	- 21151	654	- 21654	867	- 21867	2148	- 212148	4124	- 214124	7091	- 217091	8297	- 218297	14741	- 2114741
189	- 21189	657	- 21657	868	- 21868	2149	- 212149	4160	- 214160	7121	- 217121	8298	- 218298	14751	- 2114751
195	- 21195	658	- 21658	874	- 21874	2150	- 212150	4162	- 214162	7229	- 217229	8299	- 218299	14761	- 2114761
196	- 21196	659	- 20344	875	- 21875	2155	- 212155	4166	- 214166	7240	- 217240	8300	- 218300	14921	- 2114921
197	- 21197	660	- 20345	882	- 21882	2156	- 212156	4174	- 214174	7241	- 217241	8301	- 218301	14941	- 2114941
199	- 21199	662	- 20347	891	- 21891	2159	- 212159	4207	- 214207	7242	- 217242	8302	- 218302	14951	- 2114951
203	- 21203	663	- 20348	892	- 21892	2161	- 212161	4216	- 214216	7246	- 217246	8305	- 218305	20014	- 2120014
206	- 21206	664	- 20349	893	- 21893	2163	- 212163	4301	- 214301	7260	- 217260	8306	- 218306	20021	- 2120021
207	- 21207	665	- 20350	895	- 21895	2164	- 212164	5946	- 215946	7261	- 217261	8309	- 218309	20026	- 2120026
222	- 21222	666	- 20351	896	- 21896	2166	- 212166	5947	- 215947	7262	- 217262	8317	- 218317	20051	- 2120051
223	- 21223	667	- 20352	947	- 21947	2403	- 212403	5948	- 215948	7263	- 217263	8318	- 218318	20052	- 2120052
224	- 21224	668	- 20354	948	- 21948	2430	- 212430	5949	- 215949	7264	- 217264	8319	- 218319	20054	- 2120054
234	- 21234	669	- 20355	951	- 21951	2431	- 212431	5950	- 215950	7265	- 217265	8320	- 218320	20055	- 2120055
235	- 21235	672	- 21672	956	- 21956	2459	- 212459	5951	- 215951	7269	- 217269	8321	- 218321	20056	- 2120056
236	- 21236	673	- 21673	957	- 21957	2461	- 212461	5952	- 215952	7270	- 217270	8322	- 218322	20058	- 2120058
238	- 21238	674	- 21674	958	- 21958	2462	- 212462	5953	- 215953	7271	- 217271	8323	- 218323	20124	- 2120124
239	- 21239	675	- 21675	959	- 21959	2463	- 212463	5954	- 215954	7353	- 217353	8324	- 218324	20125	- 2120125
240	- 21240	676	- 21676	960	- 21960	2547	- 212547	5955	- 215955	7354	- 217354	8325	- 218325	20186	- 2120186
243	- 21243	677	- 21677	961	- 21961	2552	- 212552	5956	- 215956	7357	- 217357	8326	- 218326	20187	- 2120187
244	- 21244	678	- 21678	962	- 21962	2553	- 212553	5957	- 215957	7359	- 217359	8333	- 218333	42501	- 2142501
246	- 21246	679	- 21679	963	- 21963	2559	- 212559	5958	- 215958	7362	- 217362	8334	- 218334	43441	- 2143441
247	- 21247	686	- 21686	969	- 21969	2561	- 212561	5959	- 215959	7363	- 217363	8337	- 218337	55669	- 2155669
248	- 21248	687	- 21687	1208	- 211208	2562	- 212562	5960	- 215960	7402	- 217402	8338	- 218338	60246	- 2160246
269	- 21269	688	- 21688	1209	- 211209	2563	- 212563	5961	- 215961	7403	- 217403	8341	- 218341	60256	- 2160256
321	- 21321	689	- 21689	1210	- 211210	2564	- 212564	5962	- 215962	7407	- 217407	8527	- 218527	60286	- 2160286
324	- 21324	690	- 21690	1314	- 211314	2581	- 212581	5963	- 215963	7422	- 217422	8528	- 218528	62176	- 2162176
374	- 21374	691	- 21691	1316	- 211316	2591	- 212591	5964	- 215964	7436	- 217436	8529	- 218529	62406	- 2162406
375	- 21375	692	- 21692	1317	- 211317	2592	- 212592	5965	- 215965	7439	- 217439	8530	- 218530	62416	- 2162416
376	- 21376	695	- 21695	1319	- 211319	2593	- 212593	5966	- 215966	7440	- 217440	8531	- 218531	62426	- 2162426
380	- 21380	696	- 21696	1322	- 211322	2594	- 212594	5967	- 215967	7524	- 217524	8532	- 218532	63300	- 2163300
381	- 21381	697	- 21697	1323	- 211323	2595	- 212595	5968	- 215968	7527	- 217527	8533	- 218533	63411	- 2163411
383	- 21383	748	- 21748	1326	- 211326	2596	- 212596	5969	- 215969	7544	- 217544	8534	- 218534	80841	- 2180841
384	- 21384	749	- 21749	1328	- 211328	2597	- 212597	6025	- 216025	7545	- 217545	8535	- 218535	200471	- 21200471
404	- 21404	760	- 21760	1329	- 211329	2598	- 212598	6237	- 216237	7547	- 217547	8536	- 218536		
407	- 21407	761	- 21761	1331	- 211331	2599	- 212599	6256	- 216256	7548	- 217548	8537	- 218537		
410	- 21410	762	- 21762	1463	- 211463	2600	- 212600	6257	- 216257	7550	- 217550	8538	- 218538		
412	- 21412	764	- 21764	1466	- 211466	2601	- 212601	6258	- 216258	7551	- 217551	8539	- 218539		
413	- 21413	765	- 21765	1469	- 211469	2622	- 212622	6284	- 216284	7602	- 217602	8540	- 218540		
415	- 21415	766	- 21766	1470	- 211470	2623	- 212623	6285	- 216285	7604	- 217604	8544	- 218544		
416	- 21416	767	- 21767	2002	- 212002	2624	- 212624	6286	- 216286	7608	- 217608	8553	- 218553		
417	- 21417	768	- 21768	2005	- 212005	2625	- 212625	6287	- 216287	8211	- 218211	8554	- 218554		
419	- 21419	770	- 21770	2011	- 212011	2626	- 212626	6332	- 216332	8215	- 218215	8560	- 218560		
422	- 21422	771	- 21771	2013	- 212013	2627	- 212627	6333	- 216333	8233	- 218233	8561	- 218561		
442	- 21442	772	- 21772	2015	- 212015	2649	- 212649	6487	- 20359	8234	- 218234	8562	- 218562		
464	- 21464	773	- 21773	2016	- 212016	2650	- 212650	6488	- 20360	8235	- 218235	8563	- 218563		
473	- 21473	778	- 21778	2025	- 212025	2651	- 212651	6489	- 20361	8237	- 218237	8609	- 218609		
511	- 21511	779	- 21779	2032	- 212032	2654	- 212654	6490	- 20362	8238	- 218238	8610	- 218610		
525	- 21525	784	- 21784	2035	- 212035	2667	- 212667	6491	- 20363	8239	- 218239	8613	- 218613		
527	- 21527	785	- 21785	2036	- 212036	2728	- 212728	6492	- 20364	8241	- 218241	8614	- 218614		
528	- 21528	787	- 21787	2037	- 212037	2730	- 212730	6493	- 20365	8242	- 218242	8615	- 218615		
529	- 21529	789	- 21789	2038	- 212038	2733	- 212733	6494	- 20366	8243	- 218243	8617	- 218617		
530	- 21530	790	- 21790	2041	- 212041	2734	- 212734	6495	- 20367	8245	- 218245	8618	- 218618		



**Sofia Office**

V-TAC EUROPE Ltd41, bul.Rozhen,  
1271 Sofia, Bulgaria  
[www.v-tac.eu](http://www.v-tac.eu)

**UK Office**

V-TAC House, Kelpatrick Road,  
Slough, Berkshire, SL1 6BW, UK.  
[www.v-tac.co.uk](http://www.v-tac.co.uk)

**Middle East Office**

Unit# 407/8/9 Jumeirah Bay Towers,  
Plot# X3, JLT,P.O. Box 45244, Dubai.  
[www.vtacexports.comUK](http://www.vtacexports.comUK)

**ROADMAP 2022**

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING





# ROADMAP 2022 CATALOG

You'll find all the information you need about the brand new  
item in our latest Roadmap catalogue 2022

[www.vtacexports.com/](http://www.vtacexports.com/)

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING

# Welcome to our Roadmap 2022





# Upcoming Categories



LED FLOODLIGHT

GU10 FITTINGS

LED STREETLIGHTS

LED STRIP LIGHTS

OUTDOOR LIGHTING

LED SMART LIGHTS

LED HIGHBAYS

DESK LAMPS

LED PANELS

CEILING FANS

LED SOLAR LIGHTS

TROLLEY SPEAKERS

SOLAR PANELS



INTRODUCING HIGH EFFICIENCY


# SOLAR PANELS

One Time for a Lifetime





# SOLAR PANEL



### Positive tolerance

Positive tolerance of up to 5W delivers higher output reliability.



### High Efficiency

Higher module conversion efficiency benefit from half cell structure (low resistance characteristic).



### PID Resistance

Excellent Anti-PID performance guarantee limited power degradation for mass production.



### Low-light Performance

Advanced glass and cell surface textured design ensure excellent performance in low-light environment.



### Severe Weather Resilience

Certified to withstand: wind load (2400 Pascal) and snow load (5400 Pascal).



### Durability Against Extreme Environmental Conditions

High salt mist and ammonia resistance certified by TUV NORD.



**Residential**



**Commercial**



**Industrial**

Model	SKU	Watts
VT-450	11353	450W
VT-545	11354	545W



**COST-EFFECTIVE**

# SOLAR LIGHTS

Durable, Long life.

# LED SOLAR STREETLIGHT Solar Streetlight

**SAMSUNG LED**  
Illuminated



Model	SKU	Watts
VT-ST303	20341   6400K WHITE	300W

- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours



**IP65 RATING**



**5 YEAR WARRANTY**



# LED SOLAR STREETLIGHT Integrated Solar Panel Street Light



Model	SKU	Watts
VT-20201ST	6755 - 4000K DAY WHITE 6756 - 6400K WHITE	200W
VT-30301ST	6757 - 4000K DAY WHITE 6758 - 6400K WHITE	300W
VT-40401ST	6759 - 4000K DAY WHITE 6760 - 6400K WHITE	400W

- Charging Time: 4-6 Hours
- Working Time: 8-10 hours in always mode, 12 hours in induction mode
- Body Type: Polycrystalline Silicon Panel
- Size: 680×320×50mm




**Solar Wall Light-Remote Control**

**IP44 RATING**

- Charging Time: 4-6 hrs Sunlight Charging
- Working Time: Min 3 hrs and Max 12 hrs

Model	SKU	Watts
<u>VT-969</u>	<a href="#">93575 - 3IN1</a>	0.8w



Automatic charging during the day

Automatic light at night

**Solar Wall Light-Remote Control**

**IP44 RATING**

- Charging Time: 4-6 hrs Sunlight Charging
- Working Time: Min 3 hrs and Max 12 hrs

Model	SKU	Watts
<u>VT-972</u>	<a href="#">93578 - 3IN1</a>	0.8w



Automatic charging during the day

Automatic light at night



**Solar Wall Lamp**



- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours

Model	SKU	Watts
<u>VT-982-S</u>	<b>2889 - 3IN1</b>	2w




**Solar Stand Lamp**



- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours

Model	SKU	Watts
<u>VT-983-S</u>	<b>2890 - 3IN1</b>	2w



**Solar Wall Lamp**



- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours

Model	SKU	Watts
<u>VT-982</u>	<b>2892 - 3000K+6000K WARM WHITE+WHITE</b>	2w



**Solar Stand Lamp**



- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours

Model	SKU	Watts
<u>VT-983</u>	<b>2893 - 3000K+6000K WARM WHITE+WHITE</b>	2w



**Solar Lawn Lamp**

**IP44 RATING**

- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours

Model	SKU	Watts
<u>VT-984</u>	2894 - 3000K+6000K WARM WHITE+WHITE	2w




**Solar Lawn Lamp**

**IP44 RATING**

- Charging Time: 5-6 Hours
- Working Time: 10-12 Hours

Model	SKU	Watts
<u>VT-984-S</u>	2891 - 3IN1	2w




**Solar Bollard Lights**

**IP65 RATING**

- Charging Time:
- Working Time: 12 Hours

Model	SKU	Watts
<u>VT-945</u>	6666 - 3000K WARM WHITE 6665 - 4000K DAY WHITE	5w




**2IN1 Garden Light**

**IP65 RATING**

- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours

Model	SKU	Watts
<u>VT-943</u>	6668 - 3000K WARM WHITE 6667 - 4000K DAY WHITE	3w




**Solar Garden Light - Adjustable**



- Charging Time: 4-5 Hours
- Working Time: 30-36 Hours

Model	SKU	Watts
<u>VT-948</u>	6670 - 3000K WARM WHITE 6669 - 4000K DAY WHITE	8w



**Solar Spike Light**



- Charging Time: 6-8 Hours
- Working Time: 10-12 Hours

Model	SKU	Watts
<u>VT-952</u>	6660 - 3000K WARM WHITE 6661 - 4000K DAY WHITE 6662 - 6400K WHITE	2w



**Solar Tri-Proof Light with Sensor**



- Charging Time: 4-6 Hours
- Working Time: 8-10 Hours

Model	SKU	Watts
<u>VT-120018</u>	6500 - 3IN1	18w



**Solar Bulb with Sensor**



- Charging Time: 8 Hours
- Working Time: 6 Hours


Model	SKU	Watts
<u>VT-2417</u>	2857 - 3IN1	7w





## OUTDOOR LIGHTING | Garden Light 2IN1 (Lamp Post + Spike)

- IP65 Rating.
- COB-Samsung Chip
- 3 Years Warranty
- AC:220-240V, 50/60Hz
- Body Type: Aluminium
- 100° Beam Angle
- CRI >80
- PF>0.5
- 20,000-hour lifespan
- On/Off Cycle >15000



Model	SKU	Watts	Lumen	Box Qty
VT-907	20316   3000K WARM WHITE 20317   4000K DAY WHITE 20318   6400K WHITE	7W	420	20

**SUPER-BRIGHT**

# LED STRIP LIGHTS

Create a colorful atmosphere





# Introducing New 4040-60 Strip Light



## LED Strip Lights **LED Strip-4040-60**

VT-4040-60

- 2933 - 6400K WHITE
- 2931 - 3000K WARM WHITE
- 2932 - 4000K DAY WHITE

Watt/M:	8W
Voltage:	DC:12V
LED Qty/M:	60
LED Type:	SMD
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters





**LED Strip Lights**  
Strip Light-5050 RGB + CCT 5IN1

VT-5050 60 IP20-24W  
2895 - 5IN1

Watt/M: 24W  
Voltage: DC:24V  
LED Qty/M: 60  
LED Type: SMD  
Beam Angle: 120°  
IP Rating: IP20  
Box Qty: 400MM

RGB + 3000K- 6400K  
Many different colors, various lighting Modes, Dimmable.



**LED Strip Lights**  
Strip Light-5050 RGB + CCT 5IN1

VT-5050 60 IP65-RGB -24W  
2896 -5IN1

Watt/M: 24W  
Voltage: DC:24V  
LED Qty/M: 60  
LED Type: SMD  
Beam Angle: 120°  
IP Rating: IP20  
Box Qty: 400MM

RGB + 3000K- 6400K  
Many different colors, various lighting Modes, Dimmable.



**LED Strip Lights**  
Striplights 2835 - CCT

VT-2835 120-IP20-14W  
2897 -3IN1

Watt/M: 14W  
Voltage: DC:24V  
LED Qty/M: 120  
LED Type: SMD  
Beam Angle: 120°  
IP Rating: IP20  
Width: 10mm  
Box Qty: 400 Meters

3000K- 6400K




**LED Strip Lights**  
Striplights 2835 - CCT

VT-2835 120-IP65-14W  
2898 - 3IN1

Watt/M: 14W  
Voltage: DC:24V  
LED Qty/M: 120  
LED Type: SMD  
Beam Angle: 120°  
IP Rating: IP65  
Width: 10mm  
Box Qty: 200 Meters

3000K- 6400K







**LED Strip Lights**  
LED Strip-2835 128 LEDs

VT-2835 128-24V

- 2908 – 6400K WHITE
- 2906 – 3000K WARM WHITE
- 2907 – 4000K DAY WHITE

Watt/M: WW-8.5W/ DW-8.5W/W-9W  
 Voltage: DC:24V  
 LED Qty/M: 128  
 LED Type: SMD  
 Beam Angle: 120°  
 IP Rating: IP20  
 Width: 4mm  
 Box Qty: 400 Meters




**LED Strip Lights**  
Striplights 2835 90-High Lumen

VT-2835 90

- 2698 – 6400K WHITE
- 2696 – 3000K WARM WHITE
- 2697 – 4000K DAY WHITE

Watt/M: 20W  
 Voltage: DC:24V  
 LED Qty/M: 90  
 LED Type: SMD  
 Beam Angle: 120°  
 IP Rating: IP20  
 Width: 10mm  
 Box Qty: 400 Meters





**LED Strip Lights**  
LED COB Striplights IP20

VT-COB 421

- 2669 – 6400K WHITE
- 2667 – 3000K WARM WHITE
- 2668 – 4000K DAY WHITE

Watt/M: 10W/M  
 Voltage: DC:24V  
 LED Qty/M: 420  
 LED Type: COB  
 Beam Angle: 120°  
 IP Rating: IP20  
 Width: 10mm  
 Box Qty: 400 Meters



**LED Strip Lights**  
LED COB Striplights IP20

VT-COB 422

- 2880 – RGB

Watt/M: 13W/M  
 Voltage: DC:24V  
 LED Qty/M: 762  
 LED Type: COB  
 Beam Angle: 120°  
 IP Rating: IP20  
 Width: 10mm  
 Box Qty: 400 Meters





**SINGLE COLOR CONTROLLER**

Model	SKU
<a href="#">VT-2431</a>	<a href="#">2911</a>

- Voltage: DC:12V-24V
- Working Temperature: -10~40 °C
- Output: Max 12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode



**RGB CONTROLLER**

Model	SKU
<a href="#">VT-2432</a>	<a href="#">2912</a>

- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode



**RGB+W CONTROLLER**

Model	SKU
<a href="#">VT-2434</a>	<a href="#">2913</a>

- Voltage: DC12V-24V
- Working Temperature: -10~40°C
- Output Max: 6A/Channel
- Total Output Max:12A
- RF: 2.4GHz
- Control Distance: 30m
- Output connection: Common anode



**5 CHANNEL AMPLIFIER**

Model	SKU
<a href="#">VT-2435</a>	<a href="#">2914</a>

- Voltage: DC12V/24V
- Work Temperature: -20~60°C
- Output Voltage: DC12V/24V
- Output Current: 6A/Channel
- Total output Max: 15A
- Switching Rate: 10Mbps
- Connection: Common anode



### Simple but multi-functional

Easy installation, safe and reliable

- 16 Millions of colors to choose
- Color temperature adjustable
- Dimmable Saturation control
- 2.4G RF wireless transmission technology
- Remote control control distance 30m
- Smartphone APP control (2.4G-Hz gateway is needed)
- Support third party voice control (2.4GHz gateway is needed)
- DMX512 controllable (DMX512 LED transmitter is needed)




### Compatible with RGB / RGBW / and RGB+CCT LED strip

Switching RGB,RGBW and RGB+CCT version randomly



### Sensitive touching

High precision Capacitive touch screen IC, Touch Screen is very stable



### High-end tempered glass panel


Tempered glass panel, scratching and crushing resistance



**WALL CONTROLLER – 3 IN 1**

Model	SKU
VT-2433	2915

- Voltage: DC12V-24V
- Output Max: 5A/Channel
- Total Output Max: 10A
- RF: 2.4GHz
- Control Distance: 30m
- Working Temperature: -20-60°C
- Panel Size: 86×86mm"
- Compatible with RGB/RGBW/RGB+CCT strips



**4 ZONE CONTROLLER**

Model	SKU
VT-2439	2916

- Voltage: 3V(2\*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86×86×16mm



**4 ZONE RGB+W CONTROLLER**

Model	SKU
VT-2437	2917

- Voltage: 3V(2\*AAA Battery)
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Control Distance: 30m
- Standby Power: 20uA
- Working Temperature: -10 -40°C
- Panel Size: 86×86×16mm

### Night light mode, take care of your family

Long press OFF button to Night light mode, convenient for the night. Convenient for getting up in dark night



### Touch Dimming Remote Controller

2.4GHz wireless transmission, Brightness Adjustable  
Control distance 30m



### 2.4G wireless transmitting Control distance 30m

Adopt 2.4G wireless transmitting technology, with strong anti-interference, long distance transmission, Control distance 30m, easier operation



### TOUCH DIMMER-WHITE

Model	SKU
VT-2440-W	2919

- Voltage: 3V(2\*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m



### TOUCH DIMMER-BLACK


Model	SKU
VT-2440-B	2920

- Voltage: 3V(2\*AAA Battery)
- Working Temperature: -20 -60°C
- Transmission Frequency: 2400-2483.5MHz
- Modulation Method: GFSK
- Transmitting Power: 6dBm
- Standby Power: 20uA
- Control Distance: 30m



### Signal transmitting

One strip controller can transmit the signals from the remote control to another controller within 30m, as long as there is a strip controller within 30m, the remote control distance can be limitless.



### Modes synchronization

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.

### Newest appearance, comfortable hand feeling

Unique and beautiful appearance design. Humanized design; better hand feeling; easy operation.



### Super Compability, 2.4G wireless transmitting

Fully compatible with LED Strip Lights. Adopts 2.4GHz wireless technology, Long signal transmission, better controlling experience.



16 million colors to choose

Color Ring



### 8 ZONE REMOTE CONTROL

Model	SKU
VT-2438	2921

- Voltage: 3V(2\*AAA Battery)
- Control Distance: 30m
- Size: 47×19×153mm



### 4 ZONE REMOTE CONTROL

Model	SKU
VT-2436	2918

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 53×21×110.5mm



### TOUCH REMOTE CONTROL RGB+CCT

Model	SKU
VT-2441	2922

- Voltage: 3V(2\*AAA Battery)
- Control Distance: 30m
- Size: 56×20×138mm



### TOUCH REMOTE CONTROL RGB+W-.....

Model	SKU
VT-2442-W	2923

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5×21×120mm



### TOUCH REMOTE CONTROL RGB+W-BLACK

Model	SKU
VT-2442-B	2924

- Voltage: 3V(sevtion 2 batteries)
- Control Distance: 30m
- Size: 52.5×21×120mm



- New lighting technology for led aluminum profile.
- Not only the profile is black painting, but also the diffuser is black.
- When you switch on, the light is just like the normal one.
- Length 2M.

**Mounting Kit Black**

**Mounting Kit Black**

**Mounting Kit Black**



Model: [VT-8113](#)  
 SKU: [2873](#)  
 Dimension: 2000×17.4×7mm  
 Unit Color: Black



Model: [VT-8109](#)  
 SKU: [2874](#)  
 Dimension: 2000×15.8×15.8mm  
 Unit Color: Black



Model: [VT-8106](#)  
 SKU: [2875](#)  
 Dimension: 2000×24.7×7mm  
 Unit Color: Black

**Mounting Kit Black**

**Mounting Kit Black**

**Mounting Kit Black**



Model: [VT-8108](#)  
 SKU: [2876](#)  
 Dimension: 2000×23.5×10mm  
 Unit Color: Black



Model: [VT-8114](#)  
 SKU: [2877](#)  
 Dimension: 2000×19×19mm  
 Unit Color: Black



Model: [VT-8110](#)  
 SKU: [2878](#)  
 Dimension: 2000×17.2×14.4mm  
 Unit Color: Black

**Mounting Kit White**



**Model:** [VT-8126](#)  
**SKU:** [2871](#)  
**Dimension:** 2000×50×35mm  
**Unit Color:** White

**Mounting Kit White**




**Model:** [VT-8127](#)  
**SKU:** [2872](#)  
**Dimension:** 2000×50×75mm  
**Unit Color:** White

**Mounting Kit with Diffuser Surfaced**



**Model:** [VT-8136](#)  
**SKU:** [2903](#)  
**Dimension:** 2000×7.8×9mm  
**Unit Color:** Silver

**Mounting Kit with Diffuser Recessed**



**Model:** [VT-8137](#)  
**SKU:** [2904](#)  
**Dimension:** 2000×12.4×9mm  
**Unit Color:** Silver

**Mounting Kit Bendable Silver**



**Model:** [VT-8138](#)  
**SKU:** [2909](#)  
**Dimension:** 2000×18×6mm  
**Unit Color:** Silver

**Strip-Controller-RGB + CCT**




**Model:** [VT-2428](#)  
**SKU:** [2899](#)  
**Input voltage:** DC:12V/24V  
**Box Qty:** 100

**Strip-Controller-CCT**



**Model:** [VT-2425](#)  
**SKU:** [2901](#)  
**Input voltage:** DC:12V/24V  
**Box Qty:** 100

**Strip Controller- WiFi - RGB + CCT**




**Model:** [VT-2429](#)  
**SKU:** [2900](#)  
**Input voltage:** DC:12V/24V

**Strip WIFI Controller - CCT**



**Model:** [VT-2427](#)  
**SKU:** [2902](#)  
**Input voltage:** DC:12V/24V

**QUICK CONNECT WIRE FOR LED STRIP LIGHT**



**Model:** [11341](#)  
**SKU:** [11341](#)  
**Box Qty:** 1000

**QUICK MIDDLE CONNECTOR FOR LED STRIP LIGHT**




**Model:** [11342](#)  
**SKU:** [11342](#)  
**Box Qty:** 1000

**QUICK MIDDLE CONNECTOR WITH WIRE FOR LED STRIP LIGHT**



**Model:** [11343](#)  
**SKU:** [11343](#)  
**Box Qty:** 500



### Power Supply – Plastic




Model	SKU	Watts	Current Capacity:	Input Power	Output
<a href="#">VT-23032</a>	<a href="#">2671</a>	30W	2.5A	AC:100-240V,50/60Hz	DC:12V
<a href="#">VT-23044</a>	<a href="#">2672</a>	42W	3.5A	AC:100-240V,50/60Hz	DC:12V

### Power Supply – Metal



Model	SKU	Watts	Current Capacity:	Input Power	Output
<a href="#">VT-21061</a>	<a href="#">2682</a>	60W	5A	AC:100-240V,50/60Hz	DC:12V
<a href="#">VT-21062</a>	<a href="#">2683</a>	60W	2.5A	AC:100-240V,50/60Hz	DC:24V
<a href="#">VT-21071</a>	<a href="#">2684</a>	75W	6.25A	AC:176-264V,50/60Hz	DC:12V
<a href="#">VT-21072</a>	<a href="#">2685</a>	75W	3.15A	AC:176-264V,50/60Hz	DC:24V





### Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output
<a href="#">VT-21121</a>	<a href="#">2686</a>	120W	10A	AC:176-264V,50/60Hz	DC:12V
<a href="#">VT-21122</a>	<a href="#">2687</a>	120W	5A	AC:176-264V,50/60Hz	DC:24V
<a href="#">VT-21152</a>	<a href="#">2688</a>	150W	12.5A	AC:176-264V,50/60Hz	DC:12V
<a href="#">VT-21153</a>	<a href="#">2689</a>	150W	6.25A	AC:176-264V,50/60Hz	DC:24V



### Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output
<a href="#">VT-21252</a>	<a href="#">2690</a>	250W	20.8A	AC:176-264V,50/60Hz	DC:12V
<a href="#">VT-21253</a>	<a href="#">2691</a>	250W	10.41A	AC:176-264V,50/60Hz	DC:24V
<a href="#">VT-21301</a>	<a href="#">2692</a>	300W	25A	AC:176-264V,50/60Hz	DC:12V
<a href="#">VT-21302</a>	<a href="#">2693</a>	300W	12.5A	AC:176-264V,50/60Hz	DC:24V



### Power Supply – Metal

Model	SKU	Watts	Current Capacity:	Input Power	Output
<a href="#">VT-21501</a>	<a href="#">2694</a>	500W	42A	AC:200-240V,50/60HZ	DC:12V
<a href="#">VT-21502</a>	<a href="#">2695</a>	500W	21A	AC:200-240V,50/60HZ	DC:24V

